


BP 103 T

P. Pages: 3

Time: Three Hours



Instructions to Candidates:

1.

- 6004 of above
- Which of the following is type of phompatibility.

 a) Physical Chemical

- Chemical
- All of above
- Choose monophasic liquid dosage form from following.
- Syrup

- All of above
- a) Mouth Wash b)
 c) Elixir b)
 Second Edition 1.P. published in.
 - 1955 a)

b) 1985

1966 c)

- 1996 d)
- When wo or more drug are used in combained form their action is increased is called as.

- Antagonism b)
- Synergism

Addiction d)

What is the meaning of Latin term "Pilula".

a) A Pill


A Powder b)

A paste

A solution d)

1

	viii)	Syrup	is concentrated	OR nearly sat	turated solution of.	
	,		odium chloride	b)	Sugar	
			dine	d)	None of above	
	• ix)	Which	method is used			
			y gum method	b)	Wet gum method	
		c) Bo	oth a & b	d)	None of the above	
		4 1				
	x)		is equivalent to.	b)	0.06ml	
		a) 11		p)	0.00mi	- 01
		c) 0.0	01ml	d)	0.11111	00,
	xi)	Emuls	ifying agent with	higher numb	ers indicates.	120
	λι)		pophilic propertie	es b)	Hydro-philic propert	ies 09'
			oth a & b	d)	None of above	260
						2971
	xii)	Enema	as are introduced	I in the.	State No.	600
		a) Na	asal cavity	b)	Oral cavity	120
		c) Re	ectum	d)	None of above	ies 260097260097260097
					4	260
	XIII)		ription comprises	direction to	the.	
		a) Pa		b) d)	All of above	
		c) Pr	nysician	u)	All of above 12	
	, xiv)	Suppo	sitories may inse	erted into.	1002	
	· Alv)	a) Re		b)	Vagina 160	
			asal Cavity	d)	All of bove	
			8.2		All of Boove	
	• XV)	Emuls	ifying agent redu			
		a) in	terracial tension	b)	o ensity	
		c) Sp	pecific Gravity	gh)	Viscosity	
		A		209	which is different from	n it's characteristics
	XVI)	An ext	acological action	is called as	windi is different from	II It's characteristics
		phann a) To	acological action	69 b)	Idiosyncrasy	
		c) Ta	schynhylaxis	600 d)	Antagonism	
		0, 10	acological action blerance achyphylaxis formula is used bung's formula ark's formula	20 -	7 11/10/30/11/20/1	
	xvii) Which	formula is used	for calculatio	n of doses of child.	
		a) Yo	oung's forma	b)	Dilling formula	
		c) Cl	ark's for ula	d)	All of above	
			- 1/2			
	XVII				nittee of IP-1955.	
			Mukharji	b)	Sir. R. N. Chopra	
		c) 1	B. N. Ghosh	d)	Dr. Nitya Nand	
	viv	2091	an dools with			
	xix)	160000	ogy deals with uantity of drug	b)	Dose of drug	
	6	C) Bo	oth a & b	d)	None of above	
	100	0) 00	Juli a a b	~)		
2600 9776	120					
	209,					
	000				0	
do	- 003				2	
600.						
20						



actors affecting Posology.

Jain identification test of types of emulsion and write a note on Indian Pharmacopoeia.

Write a note on Indian Pharmacopoeia.

Write a note on Indian Pharmacopoeia.

Define syrup and Explain formulation of syrups.

Define syrup and Explain formulation of syrups.

Distinguish between flocculated and Deflocculated suspension.

Discuss causes of cracking of Emulsion.

Write a short about Mouth was and Gargles.